

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (original) A nucleic acid molecule encoding a pesticidal fusion polypeptide comprising (i) a toxin domain; and (ii) a heterologous binding domain capable of binding non-specifically to a cell membrane without disrupting that membrane.

2. (original) A nucleic acid as claimed in claim 1 wherein the toxin domain is derived from a *Bacillus thuringiensis* cry toxin.

3. (original) A nucleic acid as claimed in claim 2 wherein the *Bacillus thuringiensis* cry toxin is CryIA(b) or (c).

4. (previously amended) A nucleic acid as claimed in claim 1 ~~any one of the preceding claims~~ wherein the binding domain binds carbohydrate.

5. (original) A nucleic acid as claimed in claim 4 wherein the binding domain has galactose or galactosyl affinity.

6. (previously amended) A nucleic acid as claimed in ~~claim 4 or claim 5~~ wherein the binding domain is derived from a lectin.

7. (original) A nucleic acid as claimed in claim 6 wherein the lectin is a type two ribosome inactivating protein.

8. (original) A nucleic acid as claimed in claim 7 wherein the binding domain is derived from the ricin toxin B chain.

9. (previously amended) A nucleic acid as claimed in ~~claim 2 any one of claims 2 to 8~~ which comprises all or part of Seq ID No 1 (CryIA(b)) or Seq ID No 2 (CryIA(c)) or a sequence degeneratively equivalent thereto.

10. (previously amended) A nucleic acid as claimed in ~~claim 2 any one of claims 2 to 9~~ which comprises all or part of Seq ID No 3 (RTB1), Seq ID No 4 (RTB2) or Seq ID No 5 (RTB3) or a sequence degeneratively equivalent thereto.

11. (previously amended) A nucleic acid as claimed in ~~claims 9 or claim 10~~ which comprises the CryIA-RTB combination shown in any one of Seq ID No 6 (CryIA(b)-RTB1); Seq ID No 7 (CryIA(b)-RTB2); Seq ID No 8 (CryIA(b)-RTB3); Seq ID No 9 (CryIA(c)-RTB1); Seq ID No 10 (CryIA(c)-RTB2); Seq ID No 11

(CryIA(c)-RTB3) or a sequence degeneratively equivalent thereto.

12. (previously amended) A nucleic acid as claimed in claim 2 ~~any one of claims 2 to 8~~ which comprises a nucleic sequence which is a homologous variant of any of Seq ID Nos 1 to 11.

13. (previously amended) A method of producing the nucleic acid of claim 1 ~~any one of claims 1 to 12~~, which method comprises the step of combining nucleic acid encoding a toxin with a nucleic acid encoding heterologous binding domain, wherein said binding domain is capable of binding non-specifically to a cell membrane without disrupting it.

14. (previously amended) A method as claimed in claim 13 wherein the method further comprises the step of modifying the sequence of the toxin or binding domain ~~be~~ by way of addition, insertion, deletion or substitution of one or more nucleotides in the nucleic acid.

15. (original) A method as claimed in claim 14 wherein the modification of the sequence causes an alteration in the codon usage of the sequence.

16. (previously amended) A recombinant vector comprising a nucleic acid as claimed in claim 1 ~~any one of claims~~

~~1 to 12.~~

17. (previously amended) A vector as claimed in claim 16 wherein the nucleic acid of claim 1 ~~any one of claims 1 to 12~~ is operably linked to a promoter.

18. (original) A vector as claimed in claim 17 which is an inducible promoter which is switched on in response to an elicitor or other plant signal which is triggered in response to predation.

19. (previously amended) A vector as claimed in claim 16 ~~any one of claims 16 to 18~~ which is a baculovirus vector or a vector suitable for use in a plant.

20. (previously amended) A method for transforming a host cell which method includes the step of introducing a vector of claim 16 ~~any one of claims 16 to 19~~ into the cell and causing or allowing recombination between the vector and the cell genome to introduce the nucleic acid into the genome.

21. (previously amended) A host cell containing the nucleic acid of claim 1 ~~any one of claims 1 to 12 or the vector of any one of claims 16 to 19.~~

22. (previously amended) A host cell transformed with

the nucleic acid of claim 1 ~~any one of claims 1 to 12 or the vector of any one of claims 16 to 19.~~

23. (previously amended) A host cell as claimed in claim 21 ~~or claim 22~~ which is a plant cell.

24. (original) A host cell as claimed in claim 23 wherein the plant is a monocot plant.

25. (original) A host cell as claimed in claim 24 wherein the monocot is maize or rice.

26. (previously amended) A process for producing a transgenic plant, which process comprises the steps of:

(a) ~~performing the method of claim 20~~ transforming a host cell by introducing a recombinant vector comprising a nucleic acid as claimed in claim 1 into the cell and causing or allowing recombination between the vector and the cell genome to introduce the nucleic acid into the genome, thereby to produce a transformed plant cell; and

(b) regenerating a plant from said transformed host cell.

27. (previously amended) A plant obtainable by the process of claim 26, which comprises ~~the~~ a host cell containing a nucleic acid molecule encoding a pesticidal fusion polypeptide

comprising (i) a toxin domain; and (ii) a heterologous binding domain capable of binding non-specifically to a cell membrane without disrupting said membrane, said host cell being a plant cell ~~of any one of claims 23 to 25.~~

28. (previously amended) A plant which is a clone, selfed or hybrid progeny, or other descendant of the plant of claim 27, ~~and which comprises the host cell of any one of claims 23 to 25.~~

29. (previously amended) A plant as claimed in claim 27 ~~or claim 28~~ which is a monocot.

30. (original) A plant as claimed in claim 29 wherein the monocot is maize or rice.

31. (previously amended) A part or propagule of the plant of claim 27 ~~any one of claims 27 to 30~~ which ~~comprises the host cell of any one of claims 23 to 25.~~

32. (previously amended) A method of influencing or affecting the toxicity of a plant to a pest, which method includes the step of causing or allowing expression from a nucleic acid of claim 1 ~~any one of claims 1 to 12~~ in the plant.

33. (previously amended) A pesticidal fusion

polypeptide encoded by the nucleic acid of claim 1 ~~any one of claims 1 to 12.~~

34. (previously amended) A method for producing the polypeptide of claim 33 which method comprises the step of causing expression from a nucleic acid ~~of any one of claims 1 to 12~~ molecule, encoding a pesticidal fusion polypeptide comprising (i) a toxin domain and (ii) a heterologous binding domain capable of binding non-specifically to a cell membrane without disrupting said membrane, in a suitable host cell.

35. (original) A composition comprising the polypeptide of claim 33 plus at least one additional component.

36. (original) A commodity which has been treated with the composition of claim 35 such that it has a reduced susceptibility to attack by a pest.

37. (previously amended) A method for controlling pests comprising treating said pests ~~with the use of the~~ polypeptide of claim 33.

38. (original) A method of assessing the toxicity of polypeptide to a pest species comprising:

(i) introducing a nucleic acid encoding said polypeptide into a host cell from that species,

(ii) causing or allowing the nucleic acid to be expressed in a host cell from that species,

(iii) observing the viability of the cell and correlating the results of the observation with the toxicity of the polypeptide, wherein the viability is determined by assessing esterase activity or membrane integrity.

39. (previously amended) A method as claimed in claim 37 ~~or claim 38~~ wherein the pest is a species of insect.

40. (original) A method as claimed in claim 39 wherein the species is selected from *Lepidoptera*, *Coleoptera*, *Culicidae*, *Simuliidae*, *Hymenoptera*, *Homoptera*, *Orthoptera* and *Diptera*.

41. (currently amended) An oligonucleotide selected from the group consisting of:

LF1=5' CAACAACAAAGGAATTCATGCTGATG 3' (Seq ID No 12),

LB1=5' GGACACACACACTGCAAGCTTGTAATC 3' (Seq ID No 13),

LB2=5' CGGATCCGAAAGCTTCACATCTAACAC 3' (Seq ID No 14),

or

LB3=5' GCTTGCAAGCTTAGACCATATAGCCC 3' (Seq ID No 15).

42. (previously presented) A nucleic acid as claimed in claim 10 which comprises the CryIA-RTB combination shown in any one of Seq ID No 6 (CryIA(b)-RTB1); Seq ID No 7 (CryIA(b)-RTB2); Seq ID No 8 (CryIA(b)-RTB3); Seq ID No 9

(CryIA(c)-RTB1); Seq ID No 10 (CryIA(c)-RTB2); or Seq ID No 11 (CryIA(c)-RTB3) or a sequence degeneratively equivalent thereto.

43. (previously presented) A host cell containing the vector of claim 16.

44. (previously presented) A host cell transformed with the vector of claim 16.

45. (previously presented) A host cell as claimed in claim 22 which is a plant cell.

46. (previously presented) A host cell as claimed in claim 45 wherein the plant is a monocot plant.

47. (previously presented) A host cell as claimed in claim 46 wherein the monocot is maize or rice.

48. (previously presented) A method as claimed in claim 38 wherein the pest is a species of insect.

49. (previously presented) A method as claimed in claim 48 wherein the species is selected from *Lepidoptera*, *Coleoptera*, *Culicidae*, *Simuliidae*, *Hymenoptera*, *Homoptera*, *Orthoptera* and *Diptera*.